


2 x 30W In-wall amplifier



WALLAMP60

USER GUIDE

9908 - November 2011 - Version 1.0

1 - Safety information

Important safety information



This unit is intended for indoor use only. Do not use it in a wet, or extremely cold/hot locations. Failure to follow these safety instructions could result in fire, electric shock, injury, or damage to this product or other property.



This product contains non-isolated electrical components. Do not undertake any maintenance operation when it is switched on as it may result in electric shock.



Any maintenance procedure must be performed by a CONTEST authorised technical service. Basic cleaning operations must thoroughly follow our safety instructions.



CAUTION
RISK OF ELECTRIC SHOCK
DO NOT OPEN



WARNING : This unit contains no user-serviceable parts. Do not open the housing or attempt any maintenance by yourself. In the unlikely even your unit may require service, please contact your nearest dealer. In order to avoid any electrical malfunction, please do not use any multi-socket, power cord extension or connecting system without making sure they are perfectly isolated and present no defect.



Risk of electrocution

To prevent the hazard of electric shocks, do not use extension cords, multi-socket or any other connection system without making sure metal parts completely are out of reach.



Sound levels

Our audio solutions deliver important sound pressure levels (SPL) that can be harmful to human health when exposed during long periods. Please do not stay in close proximity of operating speakers.



Recycling your device

- As HITMUSIC is really involved in the environmental cause, we only commercialise clean, ROHS compliant products.
- When this product reaches its end of life, take it to a collection point designated by local authorities. The separate collection and recycling of your product at the time of disposal will help conserve natural resources and ensure that it is recycled in a manner that protects human health and the environment.

Symbols used



This symbol signals an important safety precaution.



The CAUTION symbol signals a risk of product deterioration.



The WARNING symbol signals a risk to the user's physical integrity. The product may also be damaged.

Instructions and recommendations

1 - Please read carefully :

We strongly recommend to read carefully and understand the safety instructions before attempting to operate this unit.

2 - Please keep this manual :

We strongly recommend to keep this manual with the unit for future reference.

3 - Operate carefully this product :

We strongly recommend to take into consideration every safety instruction.

4 - Follow the instructions:

Please carefully follow each safety instruction to avoid any physical harm or property damage.

5 - Avoid water and wet locations :

Do not use this product in rain, or near washbasins or other wet locations.

6 - Installation :



We strongly encourage you to only use a fixation system or support recommended by the manufacturer or supplied with this product. Carefully follow the installation instructions and use the adequate tools.

Always ensure this unit is firmly fixed to avoid vibration and slipping while operating as it may result in physical injury.

7 - Ceiling or wall installation :

Please contact your local dealer before attempting any ceiling or wall installation.

8 - Ventilation :



The cooling vents ensure a safe use of this product, and avoid any overheating risk. Do not obstruct or cover these vents as it may result in overheating and potential physical injury or product damage. This product should never be operated in a closed non-ventilated area such as a flight case or a rack, unless cooling vents are provided for the purpose .

9 - Heat exposure :

Sustained contact or proximity with warm surfaces may cause overheating and product damages. Please keep this product away from any heat source such as a heaters, amplifiers, hot plates, etc...

10 - Electric power supply :



This product can only be operated according to a very specific voltage. These information are specified on the label located at the rear of the product.

11 - Power cords protection:



Power-supply cords should be routed so that they are not likely to be walked on or pinched by items placed upon or against them, paying particular attention to cords at lugs, convenience receptacles and the point where they exit from the fixture.

12 - Cleaning precautions :



Unplug the product before attempting any cleaning operation. This product should be cleaned only with accessories recommended by the manufacturer. Use a damp cloth to clean the surface. Do not wash this product.

13 - Long periods of non use :

Disconnect the unit's main power during long periods of non use.

14 - Liquids or objects penetration :



Do not let any object penetrate this product as it may result in electric shock or fire. Never spill any liquid on this product as it may infiltrate the electronic components and result in electric shock or fire.

15 - This product should be serviced when :



Please contact the qualified service personnel if :

- The power cord or the plug has been damaged.
- Objects have fallen or liquid has been spilled into the appliance.
- The appliance has been exposed to rain or water.
- The product does not appear to operate normally.
- The product has been damaged.

16 - Inspection/maintenance :



Please do not attempt any inspection or maintenance by yourself. Refer all servicing to qualified personnel.

17 - Operating environment :



Ambient temperature and humidity: +5 - +35°C, relative humidity must be less than 85% (when cooling vents are not obstructed). Do not operate this product in a non-ventilated, very humid or warm place.

2 - Introduction

Thank you for purchasing the WALLAMP60.

You are now in possession of a high-quality device which, we are quite certain, will bring you satisfaction.

3 - Main characteristics

Pure and precise sound quality within a subtle and compact device. This 2 x 30 Watts in-wall amplifier fits into your wall like any regular switch.


It features a Class-D digital amplifier and SMPS (Switched-mode power supply) to deliver a crystal-clear, powerful sound output.

It also features two stereo line-level inputs which can be accessed via the front and rear panels and allow you to broadcast ambient music as well as sound signals from any line-level external device such as MP3 players.

- Compact, recessed device
- Class-D digital amplifier
- Front and rear inputs
- ON/OFF and volume control via a single button
- Supplied with 24V external power supply unit

4 - Description

Front panel



Back panel

Power supply input.


Connect here the cables from the supplied power supply unit. The cable with white dotted line indicates the positive signal.

Output terminals.

Connect here your speaker cables. Please use 2 x 1.5 mm² cables without exceeding a 50m length to guarantee the best possible sound quality.

Notes:

- Please respect the polarities.
- Do not connect the - together as they do not share the same ground.




A Input: Connect here your stereo shielded cable.

You must use a line-level signal (CD, Tuner, Radio). Please do not exceed a 10 m cable length to guarantee the best possible sound quality. This input is activated when the front selector is positioned on the left.

B Input: Connect here your stereo shielded cable.

You must use a line-level signal (CD, Tuner, Radio). Please do not exceed a 10 m cable length to guarantee the best possible sound quality. This input is activated when the front selector is positioned on the right.


5 - Standard installation





The minimum impedance of each output is 8 Ohms.
In other words, you cannot connect 2 x 8 Ohms speakers
in parallel on one single output.

6 - In-wall mounting box dimensions



7 - Technical specifications

- Class-D amplifier
- 2 x 30 W stereo at 8 Ohms
- Inputs 1 and 2 can be accessed from the front panel via Stereo Jack 3.5
- Inputs 1 and 2 can be accessed from the rear panel
- Input sensitivity: 280 mV
- Frequency response: 30 Hz – 20 kHz (-1.5dB)
- Power supply: 24V,DC 60W supplied
- In-wall mounting box supplied
- Dimensions: 140 x 70 x 61 mm
- Net weight: 0.7 Kg

Because AUDIOPHONY® takes the utmost care in its products to make sure you only get the best possible quality, our products are subjects to modifications without prior notice. That is why technical specifications and the products physical configuration might differ from the illustrations.

Make sure you get the latest news and updates about the AUDIOPHONY® products on www.audiophony.com
AUDIOPHONY® is a trademark of HITMUSIC S.A. - Zone Cahors sud - 46230 FONTANES - FRANCE