TUNGSRAM[™]

Innovation is our heritage EST. 1896





Discharge - Single Ended Hot Restrike CSR575/SE/HR/UV-C 69061

Product information

Compact, single ended metal halide hot restrike lamps for a variety of applications requiring high luminance, reliability and excellent colour characteristics. Excellent colour rendering, Ra>90, and high CCT 5600–6000 K with superior colour stability- Universal burn position with hot restrike capability- High efficiency with excellent lumen maintenance

Application areas



) Film and Broadcast



Product data

Product Code	69061
Light Center Length [mm]	70
Bulb Shape	Tubular
Bulb Finish	Clear
Bulb Diameter [mm]	30
Bulb maximum overall diameter [mm]	31
Nominal Length [mm]	145
Maximum Overall Length [mm]	147
Arc Gap	7
Net weight per piece [g]	108
Gross weight per piece [g]	123
Operating position	U - Universal
Mercury Content [mg]	65
UV radiance	RG-3
RoHS compliant	Yes
Brand	GE Lighting
Cap/Base	G22

Performance data

Colour Code	860
Rated Lumens [lm]	48000
Lumen at 25°C [lm]	48000
Rated efficacy [lm/W]	83
Energy efficiency class (EEC)	A
Rated average life [h]	750
Avarage rated life	750
Rated Life [h]	750
Rated life (Hor) [h]	750
Rated life (Vert) [h]	750
Nominal life [h]	750
Nominal chromaticity coordinate X	0.323
Nominal chromaticity coordinate Y	0.328
Nominal correlated colour temperature (CCT) [K]]	6000
Nominal lumens [lm]	48000
Colour Rendering Index (CRI) [Ra]	85

Electrical data

0.03
575.0
55kV
6
1
No
Yes
575
95

Logistic data

DUN Code	10043168690611
EAN Code	0043168690614
Pack Quantity	10
Inner pack type	BOX
Outer pack type	BOX
Layer quantity EUR	24
Layer quantity UK	29
Pallet quantity EUR (PC)	2160
Pallet quantity UK (PC)	2160
Product status	Available

Downloads & Links Go to the catalog site (HTTP) High-resolution image (JPG) Entertainment Solution Spectrum Catalogue (PDF) Lighting design tools & calculators (HTTP) High-res images / Technical drawings (HTTP)

Disclaimer

Special Purpose Lamp, Not suited for household illumination



Tungsram is a registered trademark of Tungsram Operations Kft.

tungsram.com

We in Tungsram Operations Kft. are constantly developing and improving our products. For this reason, all product descriptions in this catalogue are intended as a general guide, and we may change specifications from time to time in the interest of product development, without prior notification or public announcement. All descriptions in this publication present only general particulars of the goods to which they refer and shall not form part of any contract. Data in this guide has been obtained in controlled experimental conditions. However, Tungsram cannot accept any liability arising from the reliance on such data to the extent permitted by law.